

800 X 2400  MM

&

1200 X 2400  MM

S L A B

Ultimate Collection for Infinte Possibilities

COUNTERTOP
SURFACES

GOOD FOOD AND A **WARM**
KITCHEN IS WHAT MAKES A
 HOUSE A HOME.



SINTERED STONE



This Is Where We Spend Our Happiest Moments
And Where We Find The Joy Of Being A FAMILY.



THE QUALITY OF BEING **SOPHISTICATED.**

APPLICATION AREAS




KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE





DOOR \ WINDOW FRAME



OFFICE TABLE



STAIRCASE



BATHROOM COUNTER



1 Easy to clean



2 Hygienic surface / antibacterial



3 Water resistant



4 Impact resistant



5 Frost resistant



6 Scratch resistant and abrasion resistant



7 Chemical and stain resistant



8 Fire resistant



9 Heat resistant




10 Resistant to bending



FEATURES

This feature enables good hygiene and makes these tiles a suitable flooring material for any environment where hygiene is essential. The stain resistance of ceramic and porcelain tile varies depending on its capacity to resist moisture.




Squared ridge at 45°



Straight squared ridge




Double straight squared ridge



L-shaped squared ridge

EDGE PROFILE




Rounded ridge at 45°



Rounded straight ridge



Double straight rounded ridge



L-shaped rounded ridge

EDGE PROFILE



FULL BODY

C O L L E C T I O N

TYOLOGY
Full Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**Transform
criticism into**

REATIVITY.

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size


800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



ESPRESSO



WALNUT BROWN



ESSEL BROWN

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

The combination
of different
MARBLE.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



**TERAZZO BROWN SALT
& PEPPER**



TERAZZO BROWN FLAKES



TERRAZZO PEACH SNP

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**Design is a.
journey of
free SOUL.**

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



**TERAZZO BLACK SALT
& PEPPER**



TERAZZO BLACK FLAKES

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

Perfect
for modern
ENVIRONMENT.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



PEARL WHITE



ROYAL QUARTZITE



SAGA WHITE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**simplicity is
the ultimate
SOPHISTICATION.**

APPLICATIONS




Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top




Door \ Window
Frame




SINTERED STONE

| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



JET BLACK FULL BODY



JET BLACK GLAZE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt


Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

EXPRESS
through the
M^{ODERN} STYLE.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



**TERAZZO VERDE SALT
& PEPPER**



**TERAZZO IVORY SALT
& PEPPER**

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



Art is an
adventure, that
NEVER ENDS.

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size


800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**TERRAZZO GREY SALT
& PEPPER**



WALL STREET GREY

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**Crafted
skillfully to**

Fit  Anywhere!

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

| Typology | Finish | Size | Thickness |
|-----------|---------------|----------------------------|------------|
| Full body | Glossy & Matt | 800x2400 & 1200x2400 mm | 15 & 18 mm |



DESERT GOLD



SCABAS

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

BLACK BODY

COLLECTION



TPOLOGY
Color Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



The less you
EXPLAIN
The Better
The **Design.**

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Color body

Finish


Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



AMBRATO GOLD PLZAMA



BLACK PEARL



BLUE PEARL

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Color body

Finish


Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



**QUALITY Spirit Of
This Tiles PROVIDING
VOLUME & INTEREST.**

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top




Door / Window
Frame




SINTERED STONE

| Typology | Finish | Size | Thickness |
|------------|--------|----------------------------|------------|
| Color body | Glossy | 800x2400 & 1200x2400 mm | 15 & 18 mm |



GOLDEN PORTORO



LOURENT GOLD



LAMBRADOR BLACK

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Color body

Finish


Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



ELEGANT ARTISTRY
Adds A QUALITY
of PERFECTION.

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE


| Typology | Finish | Size | Thickness |
|------------|--------|----------------------------|------------|
| Color body | Glossy | 800x2400 & 1200x2400 mm | 15 & 18 mm |



MARQUINA



ROSE BLACK



EMERALD PEARL

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

Make Your Rooms Look

BIGGER with us.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



Typology

Color body

Finish

Glossy

Size


800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



FOREST GREEN



PORTORO BLACK

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

WHITE BODY

C O L L E C T I O N



TYOLOGY
Color Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



SINTERED STONE

Typology

Color body

Finish


Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



Make it
happen, tiles.

SHOCK everyone.

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness


15 & 18 mm



APUANE STATUARIO



ARABESCATO GOLD



CALCATTÀ ELITE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

Design is where
SCIENCE & ART
BREAK even.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window
Frame



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



CRYSTAL ONYX



IMPERIAL WHITE



MARBLE VOLKAS

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



la persistance du destin
101 TIPS FOR ASPIRING GRANT WRITERS

SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



Make it simple,
but
SIGNIFICANT.

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness


15 & 18 mm



STATUARIO LUCIDATO



STATUARIO CALACATTA



STATUARIO PEARL

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm

Tiles bring in
the magic
of LU  URY.



APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door \ Window
Frame



SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 &
1200x2400 mm

Thickness

15 & 18 mm



TERRAZZO WHITE



PEBBLE WHITE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

TECHNICAL SPECIFICATION

| CHARACTERISTICS | STANDARD AS PER ISO-13006/En14411 GROUP | VALUES | TEST METHOD |
|-----------------|---|--------|-------------|
|-----------------|---|--------|-------------|

REGULATORY PROPERTIES

| | | | |
|-----------------------------|-------------|-----------|----------------|
| Deviation in Length & Width | 0.50% | 0.20% | ISO - 10545-2 |
| Deviation in Thickness | 0.50% | 0.50% | ISO - 10545-2 |
| Straightness of Sides | 0.50% | 0.20% | ISO - 10545-2 |
| Rectangularity | 0.50% | 0.20% | ISO - 10545-2 |
| Surface Flatness | 0.50% | 0.20% | ISO - 10545-2 |
| Color Difference | Unaltered | No Change | ISO - 10545-16 |
| Glossiness | As per Mfg. | >90% | Glossmeter |

STRUCTURAL PROPERTIES

| | | | |
|------------------|------------|------------|---------------|
| Water Absorption | <0.05% | <0.05% | ISO - 10545-3 |
| Apparent Density | >2.00 g/cc | >2.10 g/cc | DIN 51082 |

MASSIVE MECHANICAL PROPERTIES

| | | | |
|--------------------|-------------|-------------|---------------|
| Modulus of Repture | Min 35N/MM2 | Min 40N/MM2 | ISO - 10545-4 |
| Breaking Strength | Min. 1300 N | Min. 2000 N | ISO - 10545-4 |
| Impact Resistance | As per Mfg. | Min. 0.55 | ISO - 10545-5 |

SURFACE MECHANICAL PROPERTIES

| | | | |
|-----------------------------|-------------|--------------|---------------|
| Surface Abrasion Resistance | As per Mfg. | Min. class 3 | ISO - 10545-7 |
| Moh's Hardness | As per Mfg. | Min. class 4 | EN 101 |

THERMO HYGROMETRIC PROPERTIES

| | | | |
|--------------------------|--------------------------|--------------------------|----------------|
| Frost Resistance | No Damage | No Damage | ISO - 10545-12 |
| Thermal Shock Resistance | No Damage | No Damage | ISO - 10545-09 |
| Moisture Expansion | Nil | Nil | ISO - 10545-10 |
| Thermal Expansion | Max 9.0x10 ⁻⁶ | Max 6.5x10 ⁻⁶ | ISO - 10545-08 |
| Crazing Resistance | As per Mfg. | Min 10 Cycle | ISO - 10545-11 |

CHEMICAL PROPERTIES

| | | | |
|---------------------|-----------|-----------|----------------|
| Chemical Resistance | No Damage | No Damage | ISO - 10545-13 |
| Stain Resistance | Resistant | Resistant | ISO - 10545-14 |

SAFETY PROPERTIES

| | | | |
|-----------------|-------------|------------|----------------|
| Slip Resistance | As per Mfg. | >0.40 | ISO - 10545-17 |
| Fire Resistance | As per Mfg. | Fire Proof | N.A. |

PACKING DETAILS

| TILE SIZE | THICKNESS (approx.) | NO.OF TILES/BOX | WEIGHT/BOX (approx.) | COVERAGE AREA |
|-------------|---------------------|-----------------|----------------------|---------------|
| 800 X 2400 | 15 MM | 1 Pcs | 67 kg | 20.67 Sq. Ft. |
| | 18 MM | | 81 kg | |
| 1200 X 2400 | 15 MM | 1 Pcs | 105 kg | 31 Sq. Ft. |
| | 18 MM | | 118kg | |

